

© WPI / Thomson

- AN - 1995-381113 [49]
- TI - Prodn. of lipid(s) richer in palmitic and palmito-oleic acids - comprises growing *Methylococcus* or *Methylomonas* type bacteria in prescribed medium
- AB - Prepn. of better quality lipids comprises using methane-oxidising bacteria of *Methylococcus* or *Methylomonas* type as a producer. The bacteria are grown in an aq. mineral medium contg. the sources of N and P microelements, and carbohydrates as the C source. The ratio of N and P to dissolved O₂ is (10-20):(100-120):1 respectively.
 - USE :
 - The method is used in microbiological industry.
 - ADVANTAGE :
 - The lipids produced have high concn. of palmitic and palmito-oleic acids.
- IW - PRODUCE LIPID RICH PALMITIC OLEIC ACID COMPRISE GROW METHYLOMONAS TYPE BACTERIA PRESCRIBED MEDIUM
- PN - SU1040797 A1 19950527 DW199549
- IC - C12P7/64
- ICAI - C12P7/64
- ICCI - C12P7/64
- MC - D05-C13 E05-G09D E10-C04H E10-C04L2
- DC - D16 E17
- PA - (PROI) PROTEINS BIOSYNTHESIS RES INST
- IN - GRIGORYAN A N; KAZANTSEV YU E; SILANTEV L V
- AP - SU19823388658 19820201
- PR - SU19823388658 19820201